

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/279517207>

# A Retrospective Evaluation of the Survival Rates of Splinted and Non- Splinted Short Dental Implants in Posterior Partially...

Data · July 2015

---

CITATIONS

3

READS

114

5 authors, including:



Francischone Carlos Eduardo

58 PUBLICATIONS 460 CITATIONS

[SEE PROFILE](#)



Plinio Mendes Senna

Universidade do Grande Rio (UNIGRANRIO)

50 PUBLICATIONS 182 CITATIONS

[SEE PROFILE](#)



Bruno Salles Sotto Maior

Federal University of Juiz de Fora

56 PUBLICATIONS 153 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Implant/Abutment connection interface [View project](#)

# A Retrospective Evaluation of the Survival Rates of Splinted and Non-Splinted Short Dental Implants in Posterior Partially Edentulous Jaws

Jose Alfredo Mendonça,\* Carlos Eduardo Francischone,\* Plinio Mendes Senna,†  
Ana Elisa Matos de Oliveira,‡ and Bruno Salles Sotto-Maior‡

**Background:** The aim of the present study is to evaluate the survival rate and bone loss around short implants ( $\leq 10$  mm) supporting splinted or non-splinted posterior prostheses during a follow-up period of 3 to 16 years.

**Methods:** A total of 453 implants from 198 patients was divided into splinted or non-splinted groups. Implant survival rate was calculated for each group, and potential risk was represented as odds ratio (OR). The final linear distance from implant platform level to the first bone-to-implant contact was compared to this same reference just after loading by digital periapical radiographs to determine the marginal bone loss (BL).

**Results:** The splinted group comprised 219 implants in 86 patients, whereas the non-splinted group included 234 implants from 112 patients. The mean follow-up period was  $9.7 \pm 3.7$  years. Although different success rates were found for splinted (97.7%) and non-splinted (93.2%) groups, they exhibited similar BL ( $1.22 \pm 0.95$  mm and  $1.27 \pm 1.15$  mm, respectively). The success of splinted implants was associated with no other variable, whereas non-splinted implants exhibited higher risk of failure when placed in men (OR = 3.2) and when implants shorter than 10 mm were used (OR = 3.6 and 4.1 for 8.5 mm and 7 mm, respectively). Regardless of group, 71.4% of the unsuccessful implants failed before the end of the first year after loading.

**Conclusion:** Non-splinted posterior short implants had a somewhat lower success rate than splinted short implants, and the failure rate in non-splinted short implants appeared to be greater in males as well as in implants  $\leq 10$  mm. *J Periodontol* 2014;85:787-794.

## KEY WORDS

Alveolar bone loss; dental implants; dental implants, single-tooth; dental prostheses, implant supported; prostheses failure; prosthodontics.

Osseointegrated implants have been successfully used to replace missing teeth in partially edentulous patients.<sup>1,2</sup> However, atrophy of the posterior alveolar ridges is quite common after tooth loss, which limits the use of dental implants attributable to insufficient bone height.<sup>3</sup> Thus, to eliminate the need for augmentative procedures and to reduce the morbidity and treatment time, the use of short dental implants has been advocated to simplify treatment.<sup>4,5</sup>

Short dental implants are devices with a length  $< 10$  mm.<sup>6-8</sup> There are some controversies regarding their success and reliability. Although favorable success rates comparable with longer implants have been reported,<sup>4,9-12</sup> other studies reported a higher number of failures when using short implants,<sup>13-16</sup> occurring mainly within the first year of function.<sup>7,17</sup> One possible reason for this higher failure rate is an unfavorable biomechanical scenario in the posterior region of the jaws, in which short implants are associated with higher loading forces, poor quality bone, and a poor crown-to-implant ratio.<sup>16</sup>

Therefore, splinting implants may provide even more stress and strain distribution to the bone to avoid overloading,<sup>18,19</sup> especially for those placed in poor-quality bone, such as the posterior

\* Department of Implantology, São Leopoldo Mandic Institute and Research Center, Campinas, São Paulo, Brazil.

† Health Sciences Center, Unigranrio University, Duque de Caxias, Rio de Janeiro, Brazil.

‡ Department of Prosthodontics and Dental Materials, Federal University of Juiz de Fora, Juiz de Fora, Minas Gerais, Brazil.

region of the jaws.<sup>20</sup> However, when compared to non-splinted single crowns, there are some disadvantages of splinting, including difficulties to fit the framework and to provide adequate emergency profile and interproximal hygiene issues to the patient. Therefore, splint or not-short implants in the posterior region still creates a dilemma for clinicians.

Although a similar survival rate and similar marginal bone loss were reported for long implants supporting splinted and non-splinted prostheses,<sup>21,22</sup> the benefits of applying this approach to short implants is still not clear. Therefore, the aim of the present retrospective study is to evaluate the survival rate and bone loss around short implants ( $\leq 10$  mm) supporting splinted or non-splinted posterior prostheses during a follow-up period of 3 to 16 years.

## MATERIALS AND METHODS

### *Patients and Implants*

This retrospective study, with a follow-up of 3 to 16 years, was conducted in accordance with the Declaration of Helsinki, as revised in 2008, and reported following the Strengthening the Reporting of Observational Studies in Epidemiology guidelines.<sup>23</sup> The study was approved by the Ethics Committee of the São Leopoldo Mandic Institute and Research Center, Campinas, São Paulo, Brazil. The present study includes a total of 453 short dental implants ( $\leq 10$  mm) from 198 patients (86 males and 112 females, aged 45 to 81 years; mean ages:  $62.1 \pm 11.0$  and  $58.8 \pm 12.6$  years, respectively) under treatment from April 1996 to November 2009 in a private dental office in the city of Belo Horizonte, Minas Gerais, Brazil.

The inclusion criteria were as follows: 1) patients with posterior partially edentulous jaws (Kennedy Class I or II);<sup>24</sup> 2) limited bone height to place standard longer implants; 3) at least two adjacent short implants were present; 4) no immediate implant placement (at least 6 weeks of healing after tooth extraction); 5) good general health at the time of surgery; and 6) the patients provided written informed consent. All included implants have opposing contacts to natural teeth or fixed partial dentures.

The exclusion criteria included the presence of the following: 1) bone grafting at the surgical site; 2) short implants with prosthesis splinted to long implants or teeth; 3) partial or complete removable denture at the opposing arch; and 4) pain in the temporomandibular joint or mastication muscles. Patients reporting bruxism or with signs of occlusal wear facets were also excluded. Smokers were not excluded, but they were informed that smoking is a risk factor for implant failure.

The implants were divided into two groups according to the presence or absence of splinting. Thus, the survival rate and bone loss of 219 short implants supporting splinted prostheses placed in 86 patients were compared to 234 short implants with non-splinted prostheses placed in 112 patients. Smoking habits were recorded from anamnesis files. Implant information regarding diameter platform (regular: 4.1 mm; or wide: 5.0 mm), length (10, 8.5, or 7 mm), implant-abutment connection (internal or external), design (cylindrical or tapered), and surface (rough or smooth) was also collected.

### *Surgical and Restorative Procedures*

All patients were instructed to initiate antibiotic and anti-inflammatory therapy before the intervention and thereafter. Antibiotics were taken twice daily for 7 days, and anti-inflammatory therapy was taken for 5 days. Patients used 0.12% chlorhexidine mouthwash for 1 minute immediately before starting the intervention and thereafter twice daily for 7 days. All surgeries were performed under local anesthesia with a full-thickness flap to expose the alveolar ridge by the same surgeon (JAM), following the recommendations of the manufacturer. Finally, the flaps were closed using mono-nylon suture.

After 12 weeks of healing for implants placed in the mandible and after 18 weeks for those placed in the maxilla, the patients were recalled to load the implants. All clinical prosthetic procedures were performed by the same professional (JAM). Abutments were tightened with the recommended torque, and the patients received single or splinted metal-ceramic prostheses. All patients were recalled for routine follow-up, including radiographic and clinical examination.

### *Outcome Criteria*

Implant success was defined as the absence of mobility, painful symptoms, and radiolucency during radiographic evaluation and a progressive marginal bone loss  $< 1$  mm during the first year after implant placement and  $< 0.2$  mm per year in subsequent years. Implant removal was mandatory in patients with clinical mobility attributable to implant overloading, implant fracture, or peri-implantitis that was not successfully treated.<sup>25</sup>

Marginal bone levels were assessed by taking digital periapical radiographs of each implant just after prosthetic loading (baseline) and at the last follow-up examination.<sup>26</sup> All radiographs were taken using the long-cone parallel technique, and marginal bone loss (BL) was measured by a masked investigator (JAM) using an image processing software.<sup>§</sup> Bone loss was assessed by measuring the

§ Image Tool for Windows, University of Texas Health Science Center, San Antonio, TX.

linear distance from the platform level to the first bone-to-implant contact on mesial and distal sides, and the mean was recorded for each implant. Implant length was used as vertical reference on each image.

### Statistical Analyses

Descriptive statistics (means and SDs), odds ratio (OR), and confidence interval of each variable were computed separately for each group using a statistical software program.<sup>||</sup> The failure rates within each effect were compared using the  $\chi^2$  test, and risk was expressed as OR. After checking bone loss data distribution for normality with Kolmogorov-Smirnov test, the Mann-Whitney *U* test was selected to disclose differences between the splinted and non-splinted groups. Statistical significance was set at the  $\alpha$  level of 0.05.


### RESULTS

A total of 198 posterior partially edentulous patients was followed up during a 3- to 16-year period (splinted group [36 males and 50 females] and non-splinted group [44 males and 68 females]).

Of the 453 short implants, 219 implants from 86 patients were included in the splinted group, and 234 implants from 112 patients were included the non-splinted group. The mean follow-up period was  $9.7 \pm 3.7$  years, and the distribution of implants during the follow-ups can be seen in Figure 1. Although the non-splinted group received only single metal-ceramic crowns, the splinted group included 84 two-unit and 17 three-unit fixed prostheses. In both groups, there was a higher prevalence of implants placed in the mandible than in the maxilla, and there was a similar distribution of implants among the tooth sites (Fig. 2).



After loading, five implants failed in the splinted group (four implants supporting two-unit prostheses and one implant supporting a three-unit prosthesis) and 16 implants failed in the non-splinted group, representing overall success rates of 97.7% and 93.2%, respectively. The relative influence of other variables on survival rate of short implants is shown in Table 1. Because of the lower number of failures in splinted implants, no relevant effect was identified to affect the success of this group. However, a higher risk of failure was observed among men (OR = 1.0) and for implants shorter than 10 mm (OR = 4.1 and 3.6 for 8.5- and 7-mm-long implants, respectively) when supporting non-splinted prostheses.

The critical period to determine implant success was the first year after loading, in which five failures (100%) were identified in the splinted group and 11 implants (68.7%) failed in the non-splinted group.



**Figure 1.**

Implant distribution during the follow-up period in the splinted and non-splinted groups.



**Figure 2.**

Implant distribution among tooth positions in the splinted (**A**) and non-splinted (**B**) groups.

Other implants failed before 24 (two implants, 12.5%) and 48 (three implants, 18.7%) months.

The distribution of implants and the success rate according to implant length are presented in Table 2. Despite no significant difference between splinted and non-splinted groups when considering all the

|| SPSS v.17.0, IBM, Armonk, NY.

**Table I.****Survival Rates of Short Implants According to the Supporting Prostheses**

Patients Demographics	Splinted Prosthesis					Non-Splinted Prosthesis					P Value
	n	Failures	Survival Rate	OR	95% CI	P Value	n	Failures	Survival Rate	OR	
Sex											
Males	84	1	98.8%	1.0	0.27 – 23.06	0.364	146	11	87.5%	1.0	
Females	135	4	97.0%	2.5				5	96.3%	0.2	0.08 – 0.74
Region											
Maxilla	12	0	100.0%	1.0	1.02 – 1.09	0.752	186	2	95.8%	1.0	
Mandible	207	5	97.6%	1.0				14	92.5%	0.5	0.11 – 2.43
Smoking Status											
Non-smoker	189	5	97.4%	1.0	0.90 – 0.99	0.475	212	13	93.9%	1.0	
Smoker	30	0	100.0%	0.8				22	86.4%	2.4	0.63 – 9.23
Prosthesis											
Two-unit	168	4	97.6%	1.0	0.09 – 7.50	0.669	234	16	93.1%	1.0	
Three-unit	51	1	98.0%	0.8				0	—	—	—
Implant diameter											
Regular	144	2	98.6%	1.0	0.85 – 3.73	0.221	120	9	92.5%	1.0	
Wide	75	3	96.0%	1.7				14	93.9%	0.8	0.29 – 2.24
Implant length (mm)											
10	90	2	97.8%	1.0	0.05 – 6.26	0.544	151	5	96.7%	1.0	
8.5	80	1	98.8%	0.6	0.25 – 13.72	0.442	65	9	86.1%	4.1	1.50 – 14.61
7	49	2	95.9%	1.8				18	88.9%	3.6	0.65 – 20.36
Implant–abutment connection											
Internal	21	0	100.0%	1.0	1.06 – 1.15	0.601	70	2	97.1%	1.0	
External	198	5	97.5%	1.1				164	91.5%	3.1	0.70 – 14.35
Implant design											
Tapered	18	0	100.0%	1.0	1.04 – 1.13	0.649	62	2	96.8%	1.0	
Cylindrical	201	5	97.5%	1.0				172	91.9%	2.6	0.58 – 12.04
Implant surface											
Rough	51	0	100.0%	1.0	1.21 – 1.41	0.262	106	6	94.3%	1.0	
Smooth	168	5	97.0%	1.3				128	92.2%	1.4	0.49 – 4.02

P values refer to vertical comparison within each effect ( $\chi^2$  test).  
95% CI = 95% confidence interval.

**Table 2.****Distribution of Implants (n); Success Rate (%) According to Implant Length, Treated Site, and Supported Prosthesis**

Implant	Maxilla			Mandible		
	Splinted	Non-Splinted	P Value	Splinted	Non-Splinted	P Value
10 mm						
Regular diameter	9; 100%	41; 97.5%	0.636	81; 97.5%	110; 95.4%	0.450
Wide diameter	0; —	20; 100%	*	60; 98.3%	55; 96.3%	0.508
Internal connection	9; 100%	21; 95.2%	*	21; 95.2%	55; 94.5%	0.904
External connection	6; 100%	30; 100%	*	9; 100%	31; 96.7%	0.585
Tapered design	3; 100%	11; 90.9%	*	72; 97.2%	79; 94.9%	0.473
Cylindrical design	6; 100%	30; 100%	*	74; 97.2%	87; 95.4%	0.527
Rough surface	6; 100%	30; 100%	*	19; 100%	49; 93.8%	0.270
Smooth surface	3; 100%	11; 90.9%	*	62; 96.7%	61; 96.7%	0.987
8.5 mm						
Regular diameter	3; 100%	6; 83.3%	0.453	77; 98.7%	59; 86.4%	0.004
Wide diameter	2; 100%	3; 66.6%	*	53; 98.1%	32; 84.3%	0.017
Internal connection	1; 100%	3; 100%	*	24; 100%	27; 88.8%	0.092
External connection	0; —	1; 100%	*	6; 100%	8; 87.5%	0.369
Tapered design	3; 100%	5; 80.0%	*	71; 98.5%	51; 86.2%	0.007
Cylindrical design	0; —	1; 100%	*	5; 100%	8; 87.5%	0.411
Rough surface	3; 100%	5; 80.0%	*	72; 98.6%	51; 86.2%	0.006
Smooth surface	0; —	1; 100%	*	22; 100%	24; 87.5%	0.086
Smooth surface	3; 100%	5; 80.0%	*	55; 98.1%	35; 85.7%	0.021
7 mm						
Regular diameter	0; —	0; —	*	49; 95.9%	17; 94.1%	0.759
Wide diameter	0; —	0; —	*	29; 100%	10; 90.0%	0.084
Internal connection	0; —	0; —	*	20; 90.0%	8; 87.5%	0.385
External connection	0; —	0; —	*	0; —	0; —	*
Tapered design	0; —	0; —	*	49; 95.9%	18; 88.8%	0.759
Cylindrical design	0; —	0; —	*	49; 95.9%	18; 88.8%	0.759
Rough surface	0; —	0; —	*	4; 100%	2; 100%	*
Smooth surface	0; —	0; —	*	45; 95.5%	16; 87.5%	0.732

P value refers to horizontal comparison of success rate between splinted and non-splinted groups ( $\chi^2$  test).

\* Indicates that no statistics were computed because not enough valid cases are present in one or both groups.

implants together ( $P = 0.086$ ), 8.5- and 7-mm-long implants showed lower success rates when supporting non-splinted prosthesis.

The mean marginal BL around the implants supporting splinted ( $1.22 \pm 0.95$  mm) and non-splinted ( $1.27 \pm 1.15$  mm) posterior prostheses were similar and it was not influenced by the implant length (Table 3).

## DISCUSSION

Short implants in the posterior maxilla or mandible may be associated with lower prosthesis survival rates because of the unfavorable biomechanical scenario, which may indicate splinting of the prosthesis. However, clinical data supporting this approach to short implants was missing in the literature. In the present study, no significant difference is found between the success and marginal bone loss around the implants supporting splinted or

non-splinted prostheses after a mean follow-up of 10 years.

Splinting short implants in the posterior region mainly enhances their stability to eccentric forces.<sup>27</sup> Eccentric bucco-lingual forces can be reduced by using lower sloped cusps and by making proper selective occlusal adjustments on the prosthesis for a good clearance.<sup>28</sup> In the present study, all prostheses from both groups are manufactured by the same professional/technician, and the occlusal setup was carefully managed to minimize undesirable horizontal forces. These steps helped to avoid overloading on the implants and may be reflected in the similar marginal BL for both groups.

The presence of a reduced number of occlusal centric stops on natural teeth, as in Kennedy Class I patients, could also indicate the use of splinted restorations to prevent overloading.<sup>28</sup> In contrast, the remaining contralateral teeth of Kennedy Class II

**Table 3.****Mean Bone Loss (mm) According to Implant Length, Treated Site and Supported Prosthesis (mean  $\pm$  SD)**

Implant	Maxilla			Mandible		
	Splinted	Non-Splinted	P Value	Splinted	Non-Splinted	P Value
10 mm						
Regular diameter	1.27 $\pm$ 1.00	0.82 $\pm$ 1.21	0.806	1.32 $\pm$ 1.00	1.43 $\pm$ 1.09	0.671
Wide diameter	—	0.58 $\pm$ 0.53	*	1.40 $\pm$ 1.01	1.66 $\pm$ 1.15	0.260
Internal connection	1.27 $\pm$ 1.00	1.08 $\pm$ 1.61	*	1.11 $\pm$ 0.95	1.15 $\pm$ 0.96	0.876
External connection	0.37 $\pm$ 0.17	1.36 $\pm$ 0.84	*	1.06 $\pm$ 0.86	1.47 $\pm$ 1.05	0.382
Tapered design	2.67 $\pm$ 0.62	0.77 $\pm$ 0.65	*	1.36 $\pm$ 1.02	1.41 $\pm$ 1.11	0.900
Cylindrical design	0.37 $\pm$ 0.17	1.36 $\pm$ 0.84	*	0.93 $\pm$ 0.64	1.62 $\pm$ 1.07	0.139
Rough surface	2.67 $\pm$ 0.62	0.77 $\pm$ 0.65	*	1.37 $\pm$ 1.00	1.37 $\pm$ 1.09	0.875
Smooth surface	0.37 $\pm$ 0.17	1.36 $\pm$ 0.84	*	1.26 $\pm$ 0.82	1.40 $\pm$ 1.13	0.604
Smooth surface	2.67 $\pm$ 0.62	0.77 $\pm$ 0.65	*	1.34 $\pm$ 1.05	1.45 $\pm$ 1.06	0.546
8.5 mm						
Regular diameter	0.50 $\pm$ 0.41	1.40 $\pm$ 1.20	0.288	1.07 $\pm$ 0.80	1.37 $\pm$ 1.21	0.378
Wide diameter	0.45 $\pm$ 0.25	0.25 $\pm$ 0.25	*	1.12 $\pm$ 0.72	1.34 $\pm$ 0.88	0.312
Internal connection	1.00 $\pm$ 0.00	2.17 $\pm$ 0.94	*	0.98 $\pm$ 0.94	1.40 $\pm$ 1.51	0.479
External connection	—	1.50 $\pm$ 0.00	*	0.83 $\pm$ 0.62	1.42 $\pm$ 0.67	0.162
Tapered design	0.50 $\pm$ 0.41	1.38 $\pm$ 1.34	*	1.09 $\pm$ 0.81	1.36 $\pm$ 1.27	0.624
Cylindrical design	—	1.50 $\pm$ 0.00	*	0.80 $\pm$ 0.68	1.42 $\pm$ 0.67	0.162
Rough surface	0.50 $\pm$ 0.41	1.38 $\pm$ 1.34	*	1.09 $\pm$ 0.81	1.36 $\pm$ 1.27	0.624
Smooth surface	—	1.50 $\pm$ 0.00	*	1.10 $\pm$ 0.68	1.58 $\pm$ 1.34	0.394
Smooth surface	0.50 $\pm$ 0.41	1.38 $\pm$ 1.34	*	1.06 $\pm$ 0.85	1.23 $\pm$ 1.10	0.710
7 mm						
Regular diameter	—	—	*	1.35 $\pm$ 0.98	1.03 $\pm$ 0.69	0.367
Wide diameter	—	—	*	1.52 $\pm$ 1.06	0.88 $\pm$ 0.65	0.140
Internal connection	—	—	*	1.06 $\pm$ 0.73	1.21 $\pm$ 0.70	0.449
External connection	—	—	*	—	—	*
Tapered design	—	—	*	1.35 $\pm$ 0.98	1.03 $\pm$ 0.69	0.367
Cylindrical design	—	—	*	—	—	*
Rough surface	—	—	*	1.35 $\pm$ 0.98	1.03 $\pm$ 0.69	0.367
Smooth surface	—	—	*	1.38 $\pm$ 0.74	0.75 $\pm$ 0.25	*
Smooth surface	—	—	*	1.35 $\pm$ 1.00	1.08 $\pm$ 0.73	0.475

P value refers to horizontal comparison of bone loss between splinted and non-splinted groups (Mann-Whitney *U* test).

\* Indicates that no statistics were computed because not enough valid cases are present in one or both groups.

patients would provide more stable occlusion, allowing the use of single restorations. However, in the present study, those patients receive randomly splinted or non-splinted implants, which can be attributed to the presence of healthy anterior guidance and mutually protected or canine guidance occlusion, which is known to decrease stress on posterior implants.<sup>29</sup> Thus, anterior guidance can determine the success of short dental implants regardless of the presence of the remaining posterior teeth or splinting prostheses.

Short implants with single restorations in the posterior region are more susceptible to high masticatory forces, which increases the risk of micromotion above physiologic limits.<sup>30,31</sup> Micromotion may have influenced the higher failure rate among males compared with females in the present study because of the higher occlusal force among male patients,<sup>32</sup> which may produce higher micromotion

in short implants with non-splinted restorations. Moreover, the lower bone-to-implant contact area in 7- and 8.5-mm-long implants offers lower resistance to these movements, which may have led to a higher failure rate when compared to 10-mm-long implants supporting non-splinted prosthesis. However, this potential risk seems to be relevant only in the first year of loading, indicating that bone remodeling around the implant creates a dense interface, which may improve the biomechanics of the implants.<sup>33,34</sup>

Finite element analysis showed that a higher crown-to-implant ratio increases peri-implant bone stress;<sup>35</sup> thus, it could be an important biomechanical factor to consider when using single short implants. Therefore, two adjacent crowns with an unfavorable crown-to-implant ratio would present a better biomechanical performance when splinted, especially under non-axial loading.<sup>18,19</sup> Despite a previous study showing that non-splinted short

implants have lower crestal BL than splinted longer implants,<sup>36</sup> the present data do not show different bone loss around short implants supporting splinted and non-splinted prostheses. However, the higher failure rate of the non-splinted group may indicate that this aspect can be a potential risk factor for short implants and should be carefully investigated.

In general, non-smoking patients have better implant success, and the effect of smoking should be closely observed in areas of loose trabecular bone.<sup>37</sup> Although smoking level is not checked in the present study, no association is found between this risk factor and the failure of short implants.

Lower survival rates for short implants were reported by studies that used machined surfaces.<sup>38-40</sup> Despite these data highlighting the importance of using rough surfaces in the success of short dental implants, in the present study, the surface does not significantly affect the clinical success or bone loss around short implants. However, this effect could not be isolated, and it was often associated with changes of implant design and implant-abutment connection, making more difficult a specific evaluation of the influence of surface topography on BL.

Some limitations of the current study should be mentioned besides its retrospective nature, such as: 1) the lack of clinical data; 2) the fact that the radiographic assessment is limited to the mesial and distal bone levels; and 3) the low number of failures to evaluate the risk factors. Future studies should consider evaluating the crown-to-implant ratio and use computed tomography to determine the bone response to short implants supporting splinted and non-splinted prosthesis.

## CONCLUSION

Despite posterior, single short implants ( $\leq 10$  mm) being associated with higher risk when placed in male patients, the biomechanical advantage of splinting may be minor when patients present healthy anterior guidance and controlled occlusal clearance.

## ACKNOWLEDGMENT

The authors report no conflicts of interest related to this study.

## REFERENCES

- Koo KT, Wikesjö UM, Park JY, et al. Evaluation of single-tooth implants in the second molar region: A 5-year life-table analysis of a retrospective study. *J Periodontol* 2010;81:1242-1249.
- Jemt T, Lekholm U, Adell R. Osseointegrated implants in the treatment of partially edentulous patients: A preliminary study on 876 consecutively placed fixtures. *Int J Oral Maxillofac Implants* 1989;4:211-217.
- Chiapasco M, Zaniboni M, Boisco M. Augmentation procedures for the rehabilitation of deficient edentulous ridges with oral implants. *Clin Oral Implants Res* 2006;17(Suppl. 2):136-159.
- Renouard F, Nisand D. Short implants in the severely resorbed maxilla: A 2-year retrospective clinical study. *Clin Implant Dent Relat Res* 2005;7(Suppl. 1):S104-S110.
- Mertens C, Meyer-Bäumer A, Kappel H, Hoffmann J, Steveling HG. Use of 8-mm and 9-mm implants in atrophic alveolar ridges: 10-year results. *Int J Oral Maxillofac Implants* 2012;27:1501-1508.
- Misch CE. Short dental implants: A literature review and rationale for use. *Dent Today* 2005;24:64-66, 68.
- das Neves FD, Fones D, Bernardes SR, do Prado CJ, Neto AJ. Short implants—an analysis of longitudinal studies. *Int J Oral Maxillofac Implants* 2006;21:86-93.
- Telleman G, Raghoobar GM, Vissink A, den Hartog L, Huddleston Slater JJ, Meijer HJ. A systematic review of the prognosis of short ( $<10$  mm) dental implants placed in the partially edentulous patient. *J Clin Periodontol* 2011;38:667-676.
- Griffin TJ, Cheung WS. The use of short, wide implants in posterior areas with reduced bone height: A retrospective investigation. *J Prosthet Dent* 2004;92:139-144.
- Fugazzotto PA. Shorter implants in clinical practice: Rationale and treatment results. *Int J Oral Maxillofac Implants* 2008;23:487-496.
- Teixeira ER, Wadamoto M, Akagawa Y, Kimoto T. Clinical application of short hydroxylapatite-coated dental implants to the posterior mandible: A five-year survival study. *J Prosthet Dent* 1997;78:166-171.
- Srinivasan M, Vazquez L, Rieder P, Moraguez O, Bernard JP, Belser UC. Efficacy and predictability of short dental implants ( $<8$  mm): A critical appraisal of the recent literature. *Int J Oral Maxillofac Implants* 2012;27:1429-1437.
- Jemt T. Failures and complications in 391 consecutively inserted fixed prostheses supported by Bråne-mark implants in edentulous jaws: A study of treatment from the time of prosthesis placement to the first annual checkup. *Int J Oral Maxillofac Implants* 1991;6:270-276.
- Lekholm U, Gunne J, Henry P, et al. Survival of the Bråne-mark implant in partially edentulous jaws: A 10-year prospective multicenter study. *Int J Oral Maxillofac Implants* 1999;14:639-645.
- Herrmann I, Lekholm U, Holm S, Kultje C. Evaluation of patient and implant characteristics as potential prognostic factors for oral implant failures. *Int J Oral Maxillofac Implants* 2005;20:220-230.
- Winkler S, Morris HF, Ochi S. Implant survival to 36 months as related to length and diameter. *Ann Periodontol* 2000;5:22-31.
- Atieh MA, Zadeh H, Stanford CM, Cooper LF. Survival of short dental implants for treatment of posterior partial edentulism: A systematic review. *Int J Oral Maxillofac Implants* 2012;27:1323-1331.
- Yilmaz B, Seidt JD, McGlumphy EA, Clelland NL. Comparison of strains for splinted and non-splinted screw-retained prostheses on short implants. *Int J Oral Maxillofac Implants* 2011;26:1176-1182.
- Guichet DL, Yoshinobu D, Caputo AA. Effect of splinting and interproximal contact tightness on load transfer by implant restorations. *J Prosthet Dent* 2002;87:528-535.
- Wang TM, Leu LJ, Wang J, Lin LD. Effects of prosthesis materials and prosthesis splinting on peri-implant bone

- stress around implants in poor-quality bone: A numeric analysis. *Int J Oral Maxillofac Implants* 2002;17:231-237.
21. Lindh T, Gunne J, Tillberg A, Molin M. A meta-analysis of implants in partial edentulism. *Clin Oral Implants Res* 1998;9:80-90.
  22. Naert I, Koutsikakis G, Quirynen M, Duyck J, van Steenberghe D, Jacobs R. Biologic outcome of implant-supported restorations in the treatment of partial edentulism. Part 2: A longitudinal radiographic study. *Clin Oral Implants Res* 2002;13:390-395.
  23. von Elm E, Altman DG, Egger M, Pocock SJ, Gøtzsche PC, Vandenbroucke JP; STROBE Initiative. Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: Guidelines for reporting observational studies. *BMJ* 2007;335:806-808.
  24. Kennedy E. *Partial Denture Construction*. Brooklyn: Dental Items of Interest Publishing; 1932.
  25. Roos J, Senneryby L, Lekholm U, Jemt T, Gröndahl K, Albrektsson T. A qualitative and quantitative method for evaluating implant success: A 5-year retrospective analysis of the Bränemark implant. *Int J Oral Maxillofac Implants* 1997;12:504-514.
  26. Roos-Jansåker AM, Lindahl C, Renvert H, Renvert S. Nine- to fourteen-year follow-up of implant treatment. Part II: Presence of peri-implant lesions. *J Clin Periodontol* 2006;33:290-295.
  27. Faucher RR, Bryant RA. Bilateral fixed splints. *Int J Periodontics Restorative Dent* 1983;3(5):8-37.
  28. Grossmann Y, Finger IM, Block MS. Indications for splinting implant restorations. *J Oral Maxillofac Surg* 2005;63:1642-1652.
  29. Misch CE, Steigenga J, Barboza E, Misch-Dietsh F, Cianciola LJ, Kazor C. Short dental implants in posterior partial edentulism: A multicenter retrospective 6-year case series study. *J Periodontol* 2006;77:1340-1347.
  30. Morgan MJ, James DF, Pilliar RM. Fractures of the fixture component of an osseointegrated implant. *Int J Oral Maxillofac Implants* 1993;8:409-414.
  31. Pierrisnard L, Renouard F, Renault P, Barquins M. Influence of implant length and bicortical anchorage on implant stress distribution. *Clin Implant Dent Relat Res* 2003;5:254-262.
  32. Shiga H, Kobayashi Y, Katsuyama H, Yokoyama M, Arakawa I. Gender difference in masticatory performance in dentate adults. *J Prosthodont Res* 2012;56:166-169.
  33. Romanos GE, Toh CG, Siar CH, Wicht H, Yacoob H, Nentwig GH. Bone-implant interface around titanium implants under different loading conditions: A histomorphometrical analysis in the *Macaca fascicularis* monkey. *J Periodontol* 2003;74:1483-1490.
  34. Vandamme K, Naert I, Geris L, Sloten JV, Puers R, Duyck J. Histodynamics of bone tissue formation around immediately loaded cylindrical implants in the rabbit. *Clin Oral Implants Res* 2007;18:471-480.
  35. Sotto-Maior BS, Senna PM, da Silva WJ, Rocha EP, Del Bel Cury AA. Influence of crown-to-implant ratio, retention system, restorative material, and occlusal loading on stress concentrations in single short implants. *Int J Oral Maxillofac Implants* 2012;27:e13-e18.
  36. Rokni S, Todescan R, Watson P, Pharoah M, Adegbembo AO, Deporter D. An assessment of crown-to-root ratios with short sintered porous-surfaced implants supporting prostheses in partially edentulous patients. *Int J Oral Maxillofac Implants* 2005;20:69-76.
  37. Klokkevold PR, Han TJ. How do smoking, diabetes, and periodontitis affect outcomes of implant treatment? *Int J Oral Maxillofac Implants* 2007;22(Suppl.):173-202.
  38. Menchero-Cantalejo E, Barona-Dorado C, Cantero-Álvarez M, Fernández-Cáliz F, Martínez-González JM. Meta-analysis on the survival of short implants. *Med Oral Patol Oral Cir Bucal* 2011;16:e546-e551.
  39. Naert I, Koutsikakis G, Duyck J, Quirynen M, Jacobs R, van Steenberghe D. Biologic outcome of implant-supported restorations in the treatment of partial edentulism. Part I: A longitudinal clinical evaluation. *Clin Oral Implants Res* 2002;13:381-389.
  40. Bahat O. Bränemark system implants in the posterior maxilla: Clinical study of 660 implants followed for 5 to 12 years. *Int J Oral Maxillofac Implants* 2000;15:646-653.

Correspondence: Prof. Bruno Salles Sotto-Maior, Department of Prosthodontics and Dental Materials, Federal University of Juiz de Fora, Juiz de Fora, Brazil Rua José Lourenço Kelmer, s/n Campus Universitário, Bairro São Pedro, CEP 36036-900, Juiz de Fora, Minas Gerais, Brazil. E-mail: sotto.maior@ufjf.edu.br.

Submitted March 20, 2013; accepted for publication August 26, 2013.